CERAMIN®

NUVA

CLICK



GLUE



PVC FREE HEALTHY FLOORING

- ULTIMATE DIMENSIONAL STABILITY
- FAST INSTALLATION
- SILENT FLOOR
- HEAVY COMMERCIAL
- FIRE RESISTANT
- 100% RECYCLABLE

CLASSEN®

SELECTED

CLICK
1290 × 203 × 5,5 mm

Megaloc · V-groove in wearlayer · Silent underlay · 4,5 + 1 mm · Supermatt surface · AC6 / NK34

DRYBACK
1290 × 211 × 2,5 mm

Glue-down · Micro bevel in wearlayer · Heavy commercial · 2,5 mm thickness · Supermatt surface · AC6 / NK34



Pure Oak Brown
Click 65235 / Dryback 65167



Cotton Oak Brown
Click 65236 / Dryback 65168



Autumn Oak Brown
Click 65237 / Dryback 65169




Cottage Oak Beige
Click 65238 / Dryback 65170




Soft Oak Beige
Click 65239 / Dryback 65171




Walnut Brown
Click 65240 / Dryback 65172



Pure Oak Mid Brown
Click 65241 / Dryback 65173



Canyon Oak Brown
Click 65242 / Dryback 65174



Pure Oak Grey Brown
Click 65243 / Dryback 65175



Cotton Oak Dark Brown
Click 65244 / Dryback 65176



Soft Oak Dark Brown
Click 65245 / Dryback 65177

Walnut Red Brown
Click 65246 / Dryback 65178

ETERNAL

CLICK
1290 × 246 × 5 mm

Easyloc · 4 V · Silent underlay · 4 + 1 mm · Supermatt surface · AC4 / NK32

DRYBACK
1290 × 254 × 2,5 mm

Glue-down · Micro bevel in wearlayer · Heavy commercial · 2,5 mm thickness · Supermatt surface · AC5 / NK33

Scandinavian Oak Beige
Click 65208 / Dryback 65156


Alder Grey
Click 65207 / Dryback 65155



Soft Oak Grey Brown
Click 65209 / Dryback 65157




Autumn Oak Brown
Click 65210 / Dryback 65158




Cotton Oak Brown
Click 65211 / Dryback 65159



Vibrant Oak Brown
Click 65212 / Dryback 65160



Barrel Oak Brown
Click 65213 / Dryback 65161



Botanic Oak Brown
Click 65214 / Dryback 65162



Smoked Oak Taupe
Click 65215 / Dryback 65163



Soft Oak Grey
Click 65216 / Dryback 65164

Velvet Oak Brown
Click 65217 / Dryback 65165

Velvet Oak Greige
Click 65218 / Dryback 65166

ESSENTIAL

CLICK
1290 × 173 × 4,6 mm

Easyloc · 4 V · Silent underlay · 3,6 + 1 mm · Wood structure · AC4 / NK32

DRYBACK
1290 × 211 × 2,5 mm

Glue-down · Micro bevel in wearlayer · Heavy commercial · 2,5 mm thickness · Wood structure · AC4 / NK32



Plain Oak Greige
Click 65251 / Dryback 65232



Cotton Oak Beige
Click 65247 / Dryback 65179



Silk Oak Brown
Click 65252 / Dryback 65233




Organic Oak Brown
Click 65248 / Dryback 65180



Autumn Oak Beige
Click 65253 / Dryback 65234



Soft Oak Mid Brown
Click 65249 / Dryback 65181



Soft Oak Black Brown
Click 65250 / Dryback 65182

ROCK

CLICK
776 × 387 × 5,5 mm

Megaloc · V-groove in wearlayer · Silent underlay · 4,5 + 1 mm · Minipearl surface · AC6 / NK34

DRYBACK
780 × 398 × 2,5 mm

Glue-down · Micro bevel in wearlayer · Heavy commercial · 2,5 mm thickness · Minipearl surface · AC6 / NK34

Marble White
Click 65219 / Dryback 65183

Screed Beige
Click 65220 / Dryback 65184

Travertine
Click 65221 / Dryback 65185



Mineral Grey
Click 65222 / Dryback 65186

Carrara Grey
Click 65223 / Dryback 65187



Limestone Grey
Click 65224 / Dryback 65188



Cement Dark Grey
Click 65225 / Dryback 65189



Screed Brown
Click 65226 / Dryback 65190

Tastes of Spring

CLASSEN®

@ClassenFloorPoland
@Classen.Group

classen_floor
classen_group

ClassenFloor
Instructions and films

Classen Cloud
Download app with our floors

Classen Competence Centre
Showroom and advice for our customers

QR CODE

www.classengroup.com
www.classenfloor.com